

L Number	Hits	Search Text	DB	Time stamp
2	5659	scan\$4 same value same increment\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:51
3	1250	(scan\$4 same value same increment\$4) same imag\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:52
4	40	((scan\$4 same value same increment\$4) same imag\$4) same (lut (look adj1 up adj1 table))	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:12
5	194	"40" and densimeter	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
6	0	((scan\$4 same value same increment\$4) same imag\$4) same (lut (look adj1 up adj1 table))) and densimeter	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
7	12479	densitometer	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
8	2128	densitometer same scan\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
9	442	(densitometer same scan\$4) same value	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
10	6	((densitometer same scan\$4) same value) same increment\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:15
16	4015	increment\$4 with dimension\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:11
18	429	(increment\$4 with dimension\$4) same scan\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:11
19	83	((increment\$4 with dimension\$4) same scan\$4) same value	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:11
20	9	((increment\$4 with dimension\$4) same scan\$4) same value) same (lut (look adj1 up adj1 table))	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:12

L Number	Hits	Search Text	DB	Time stamp
2	5659	scan\$4 same value same increment\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:51
3	1250	(scan\$4 same value same increment\$4) same imag\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:52
4	40	((scan\$4 same value same increment\$4) same imag\$4) same (lut (look adj1 up adj1 table))	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:12
5	194	"40" and densimeter	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
6	0	((scan\$4 same value same increment\$4) same imag\$4) same (lut (look adj1 up adj1 table))) and densitometer	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
7	12479	densitometer	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
8	2128	densitometer same scan\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
9	442	(densitometer same scan\$4) same value	USPAT; US-PGPUB; IBM_TDB	2003/07/09 17:58
10	6	((densitometer same scan\$4) same value) same increment\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:15
16	4015	increment\$4 with dimension\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:11
18	429	(increment\$4 with dimension\$4) same scan\$4	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:11
19	83	((increment\$4 with dimension\$4) same scan\$4) same value	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:11
20	9	((increment\$4 with dimension\$4) same scan\$4) same value) same (lut (look adj1 up adj1 table))	USPAT; US-PGPUB; IBM_TDB	2003/07/09 18:12